

INVITATION TO TENDER

INVITATION TO TENDER FOR THE SUPPLY OF WELDING MATERIALS, ELECTRICAL APPLIANCES AND POWER TOOLS

NATIONAL COMPETITIVE TENDER

Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) intends to tender for the Supply of Welding Materials, Electrical Appliances and Power Tools.

The GIZ Office Accra invites tenderers to submit, free of charge and without obligation on the part of GIZ, a tender based on the following terms and conditions.

Non-conformity with all conditions mentioned could lead to the exclusion of the bid.

A) Conditions of the bid

- Tenders should be valid for a period of **three (3) months** after the deadline of Tender submission.
- Prices shall be fixed prices. Prices shall be free of VAT and other public charges. Prices shall be quoted in Ghana Cedis.**
- All interested suppliers are required to submit a letter, a company profile, and their quotes according to the specifications below **including a picture of the item to be supplied to the GIZ Office.**

B) Specifications

WELDING MATERIALS – LOT 1

No.	QTY.	ITEM	UNIT	DESCRIPTION
1	4	50 Liter bottles of mixed gas (Gas Cylinder)	Piece	- Carbon Dioxide (CO₂): 82% - Argon (Ar): 18% - Mix Type: Pre mixed, industrial welding grade - Purity: ≥ 99.9% total gas purity - Water Capacity: 50 litres - Working Pressure: 200 bar @ 15°C - Gas Volume (free gas): approx. 9.5 – 10 m³ at 1 bar - Cylinder Material: Seamless carbon steel
2	20	Gas Nozzles	Piece	- Material: Ceramic - GTIN: 4250318917880 - Size: 8
3	50	Contact Tip	Piece	- Bore Sizes: 1.0 mm - Product: MIG/MAG Welding Contact Tip (Stromdüse/Kontaktdüse) - Material: E-Cu (Electrolytic Copper) - Thread Size: M6 connection thread - Wire Compatibility: SG2 steel wire, stainless steel wire, hard-facing wires
4	10	M6 Contact Tip Holder	Piece	Product: M6 Contact Tip Holder – 36 Series SKU: EV36M62PC Category: MIG/MAG Torch Consumables Material: Heavy Brass Length: 28 mm
5	10	Ceramic Diffuser	Piece	Product: 36 Series and Parker Ceramic Diffuser Kit (2 pc) SKU: EV-ME517-2PC Length: 32.8 mm Material: Ceramic heat-resistant insulator
6	8	Filler Wires	Piece	Type: SG3 / MG3 solid MIG/MAG welding wire (G4Si1) Standard: AWS/ASME SFA-5.18 ER70S-6 Weight: 15 kg spool Packaging: 30 kg spool each
7	8	Flat steel bars	Piece	Product: Flat Steel Bars Nominal Size: 125 × 10 mm Length: 6 m (fixed) Thickness: 10 mm
8	2	Steel pipe	Piece	Item: Steel Pipe Outside Diameter (OD): 159 mm Wall Thickness: 4.5 mm Length: 6 m(fixed) Material: Carbon Steel / Mild Steel
9	2	Steel pipe	Piece	Outside Diameter (OD): 48.3 mm Wall Thickness: 3.2 mm Length: 6 m (fixed) Material: Carbon Steel / Mild Steel
10	2	Angle Grinder Cutting Disc	Piece	Type: Abrasive Cutting Disc for Metal Thicknesses: 2.5 mm Application: Cutting carbon steel, mild steel, and general ferrous metals Bore Size: Typically 22.23 mm

11	2	Angle Grinder cutting discs	Piece	Type: Abrasive cutting disc, fiberglass reinforced Thickness: 5.0 mm Application: Cutting steel, carbon steel, and other ferrous metals Bore Size: 22.23 mm (standard) Standard: EN 12413 or equivalent
----	---	-----------------------------	-------	---

ELECTRICAL APPLIANCES – LOT 2

No.	QTY.	ITEM	UNIT	DESCRIPTION
1	5	Blender	piece	- Motor Power 800 :1,200 - Wattsmotor TypeHigh:torque copper - MotorSpeed ControlVariable : speed (minimum 3 levels)
2	3	Countertop Microwave Oven	piece	- Oven Capacity: 0.9 cubic feet (approx. 23 litres) - Microwave Output Power: 900 - WattsPower Levels: 10 - Net Weight: 25 lb. (≈ 11.3 kg) - Control Panel: Digial Panel - Quick Cooking: 6 auto-cook menus - Turntable Size: 10.6 inch glass rotating plate
3	2	Rice Cooker	piece	- Capacity : 23–36 liters - Power: 3,000–4,000 W depending on model - Voltage: 220V/ 50Hz - Material: Stainless steel body with hinged lid - Inner Pot: Black crystal non-stick coated aluminium - Heating system: Advanced three-dimensional heating for even cooking - Functions: Automatic cooking, keep-warm, anti-dry burning safety
4	2	Chest Freezer (big size)	piece	- Capacity: 400–650 litters (suitable for large households or commercial use) - Cooling System: Direct cooling with manual defrosts - Energy Efficiency: Designed to minimize electricity consumption - Doors: Single or double door depending on model - Temperature Control: Adjustable thermostat for precise freezing - Build Quality: Corrosion-resistant body, durable hinges, and handles - Noise Level: Low-noise operation for home or business environments
5	1	Ice Chest (Ursus)	piece	- Capacity: 250-300 litres (large size, suitable for catering & events) - Insulation: Thick PE plastic body with polyurethane foam for extended ice retention - Cooling Duration: Keeps ice solid for 5-7 days depending on usage - Build Quality: Heavy-duty, impact-resistant shell; corrosion-resistant hinges - Mobility: Side handles, optional wheels for easier transport - Temperature: Maintains cold storage between 5°C to +10°C (with ice packs)
6	2	Gas Oven Stove	piece	- Type: Free-standing gas cooker with built in oven - Fuel: Liquefied Petroleum Gas (LPG) - Burner Type: High-efficiency brass or aluminum burners - Oven Type: Gas oven - Capacity: 50–60 litres (approx.) - Body Material: Stainless steel or coated steel - Control Panel: Front-mounted control knobs - Flame Failure Device: Optional (model dependent) - Heat Insulation: Oven well-insulated to reduce external heat - Compliance: Meets basic household gas appliance safety standards - Height: 85–90 cm - Weight: 30–40 kg

Continue on next page...

INVITATION TO
TENDER



INVITATION TO TENDER FOR THE SUPPLY OF WELDING MATERIALS, ELECTRICAL APPLIANCES AND POWER TOOLS

NATIONAL COMPETITIVE TENDER

7	8	7-Piece Kitchen+ Knife Set	set	Set Size: 7 pieces Blade material: High-carbon stainless steel (X50CrMoV15) Hardness (HRC): 56-58 HRC (typical for this steel type) Edge angle: 14° per side (fine, sharp edge) Blade type: Plain edge Corrosion Resistance
---	---	----------------------------	-----	--

POWER TOOLS – LOT 3

No.	QTY	ITEM	UNIT	DESCRIPTION
1	1	Impact Drill with Chuck and SDS chuck	piece	• Power Input: 750 – 1100 W • Rated Voltage: 220 – 240 V AC • Frequency: 50 / 60 Hz • Standard Chuck: 13 mm (½”) keyed or keyless • SDS Chuck: SDSPlus quickchange system • Concrete (SDS): Up to 26 mm • Concrete (Standard Chuck): Up to 13 mm • Weight: 2.5 – 3.5 kg
2	1	Flat Chisel For Rotary Hammer Drill	piece	• Shank Type: SDSPlus (or SDSMax – specify as required) • Shank Diameter: SDSPlus: 10 mm • SDSMax: 18 mm • Blade Width: 20 – 40 mm (commonly 25 mm or 40 mm) • Overall Length: 200 – 400 mm • Material: Highgrade hardened alloy steel • Heat Treatment: Induction hardened for high impact resistance • Typical Weight: SDSPlus: 0.3 – 0.6 kg • SDSMax: 0.6 – 1.2 kg
3	1	Rotary Hammer (chisel hammer)	piece	• Rated Power Input: 800 – 1500 W • Rated Voltage: 220 – 240 V AC • Frequency: 50 / 60 Hz • NoLoad Speed: 0 – 850 rpm • Impact Rate: 0 – 4,500 bpm • Impact Energy: 3.0 – 8.0 Joules • SDSPlus: 3.0 – 4.5 kg • SDSMax: 5.0 – 8.0 kg
4	1	Pointed Chisel For Rotary Hammer Drill	piece	Product Group: Rotary Hammer Drill Accessories Applications: Demolition, chiseling, and drilling in concrete, masonry, and stone Length: Standard (250–400 mm) Tip Geometry: Conical / pointed Drill Bits: 20mm And 35mm Drill Bits
5	1	230mm Angle Grinder	piece	• Rated Power Input: 2000 – 2600 W • Rated Voltage: 220 – 240 V AC • Frequency: 50 / 60 Hz • Disc Diameter: 230 mm • Disc Bore: 22.23 mm • NoLoad Speed: 6,000 – 6,600 rpm • Spindle Thread: M14
6	10	SDS Drill Bits 6, 8, 10, 14mm	set	• Shank Type: SDS Plus • Shank Diameter: 10 mm • Retention System: Slotted SDS shank with positive locking • Overall Length: 110 – 260 mm (as specified) • Working Length: 50 – 200 mm (model dependent) • Body Material: High quality hardened alloy steel
7	2	Sets Of Hss Drill Bits 1-13mm	set	• Manufacturing Method: Fully ground • Surface Finish: Bright finish / Black oxide / Titanium Nitride (TiN) coating (as specified) • Point Angle: 118° (standard) or 135° split point (heavy duty) • Flute Type: Right hand spiral, precision ground • Shank Type: Straight shank • Flute Length: Standard DIN length • Drill Bit Diameter Range: 1 mm to 13 mm • Increment: - o 1.0 – 10.0 mm: 0.5 mm steps - o 10.0 – 13.0 mm: 1.0 mm steps (or as specified) • Total Pieces: Typically, 25 pcs (may vary by standard) • Material: High Speed Steel (HSS) • Grade: HSS M2 (DIN 338) or equivalent

8	1	2” Pipe Cutter	piece	• Cutting Capacity: Minimum: 10 mm • Maximum: 50 mm (2 inches) • Compatible material Mild steel pipe • Copper pipe • Brass pipe • Aluminum pipe Wheel Diameter: 18 – 22 mm • Wheel Hardness: Heattreated for extended service life • Wheel Replacement: Toolless or pin-mounted replaceable wheel
9	50	Pipe Hooks 2”	piece	Sizes: 2” Material: Galvanized steel Application: Wall / ceiling fixing
10	4	Floor-Standing Toilets	piece	• Material: Vitreous china / glazed ceramic • Glaze: Smooth, non porous, stain and scratch resistant enamel • Color: White (other colors optional) • Height (including cistern): 780 – 850 mm • Bowl Height: 380 – 420 mm • Projection: 600 – 700 mm • Rough In Dimension: 250 – 300 mm
11	4	Surface-Mounted Cisterns	piece	Type: External / surfacemounted Actuation: Push button or lever Inlet: Side or bottom Material: ABS or ceramic Compatible with floorstanding toilets
12	2	230mm Diamond Cutting Discs	piece	Product: Diamond Cutting Disc Nominal Diameter: 230 mm (9”) Disc Type: Segmented / Turbo / Continuous rim (as applicable)
13	4	Wall-Hung Toilets	piece	Type: Wallmounted WC bowl Material: Vitreous ceramic Outlet: Horizontal Fixing: Compatible with concealed cistern frames Color: White
14	4	60cm Washbasins	piece	Width: 600 mm Material: Vitreous ceramic Mounting: Wallhung or countertop With overflow
15	4	Washbasin Faucets	piece	Type: Singlelever mixer Mounting: Deckmounted Connection: ½” Finish: Chrome plated or equivalent
16	4	Concealed Cisterns	piece	Installation: Inwall Actuation: Front flush plate Flush volume: Dual flush Compatible with wallhung toilets
17	4	Flush Plates For Concealed Cisterns	piece	Actuation: Dual flush Mounting: Frontmounted Material: ABS or stainless steel Compatible with concealed cistern model supplied
18	2	Kitchen Sink Faucets	piece	Type: Singlelever mixer Mounting: Deckmounted Connection: ½” Finish: Chrome plated
19	2	Kitchen Sink Drain And Overflow Fittings	piece	Material: PVC / stainless steel Size: Standard kitchen sink dimensions Includes basket strainer and overflow Overall Size: 800 × 500 mm Bowl Size: Approximately 700 × 400 mm Bowl Depth: 200 to 250 mm Drain Opening: 90 mm (3½”)
20	2	Single Bowl Stainless Steel Sink	piece	Material: Stainless steel Installation: Countertop / inset With drain opening and overflow hole
21	2	80x80mm Shower Trays	piece	Size: 800 × 800 mm Material: Acrylic or stone resin Surface: Antislip Outlet: Standard 90 mm
22	2	Shower Tray Feet	piece	Adjustable height Loadbearing plastic or metal Compatible with 80 × 80 cm trays
23	2	50mm Standpipe Valves	piece	Nominal size: 50 mm Material: PVC or metal Application: Drain / standpipe installations
24	2	Bathtub Feet	piece	Adjustable steel support frame Compatible with 170 × 75 tubs

INVITATION TO TENDER



INVITATION TO TENDER FOR THE SUPPLY OF WELDING MATERIALS, ELECTRICAL APPLIANCES AND POWER TOOLS

NATIONAL COMPETITIVE TENDER

25	2	Bathtub Drain And Overflow Fittings	piece	Material: PVC / stainless steel Activation: Cable or pushtype Compatible with standard acrylic bathtubs
26	5	1" PVC Traps 1/2" X 50mm	piece	1" – ½" x 50 mm PVC trap With cleanout White or grey PVC
27	10	1 1/4" X 30mm PVC Pipe Traps	piece	1¼" x 30 mm PVC pipe trap With cleanout White or grey PVC
28	2	170x75mm Bathtubs	piece	Product: Bathtub Nominal Size: 170 x 75 cm Standard (manufacturer specification) Shape: Rectangular
29	20	Angle Valves 1/2"	piece	Size: ½" Type: Shutoff / angle valve Finish: Chrome Application: Washbasins, toilets
30	20	Sets of Toilet Fixings	set	Complete fixing kit Includes bolts, washers, plugs Corrosionprotected
31	100	Stud Bolts 8x80mm	piece	Size: M8 x 80 mm Thread Diameter: 8 mm Overall Length: 80 mm Thread Type: Metric coarse thread (M8) Material: Carbon steel, galvanized steel, or stainless steel (as specified) Threading: Fully threaded or dou- ble-end threaded stud bolt
32	100	Stud Bolts 8x100mm	piece	Size: 8 x 100 mm Material: Steel, zinc plated
33	20	Threaded Couplings M8	piece	Size: M8 Material: Steel Female-female internal thread
34	10	Threaded Rods M8 x 1000mm	piece	Size: M8 x 1000 mm Material: Steel, zinc plated
35	20	Pipe Clamps 3/8"	piece	Sizes: 3/8" Type: Rubberlined or standard Material: Galvanized steel
36	20	Pipe Clamps 1/2"	piece	Sizes: 1/2" Type: Rubberlined or standard Material: Galvanized steel
37	20	Pipe Clamps 2"	piece	Sizes: 2" Type: Rubberlined or standard Material: Galvanized steel
38	20	Pipe Clamps 4"	piece	Sizes: 4" Type: Rubberlined or standard Material: Galvanized steel
39	100	Pipe Hooks 1/2"	piece	Sizes: 1/2" Material: Galvanized steel Application: Wall / ceiling fixing
40	20	Sets of Washbasin Fixings	set	Wallmounting kit Includes threaded rods, plugs, washers
41	200	Dowels 14mm	piece	Plastic / nylon wall plugs Sizes: 14
42	1000	Dowels 10mm	piece	Plastic / nylon wall plugs Sizes: 10
43	200	Dowels 8mm	piece	Plastic / nylon wall plugs Sizes: 8
44	1000	Dowels 6mm	piece	Plastic / nylon wall plugs Sizes: 6
45	200	Spax Screws 4.5 x 50mm	piece	Spax Screws: 4.5 x 50 mm Material: Steel, zinc coated or equivalent
46	100	Lag Screws 8x60mm	piece	Lag Screws: 8 x 60 mm Material: Steel, zinc coated or equivalent
47	100	Washers 8mm	piece	Size: 8 mm Material: Steel, zinc plated
48	100	Stud Bolts 8x60mm	piece	Size: 8 x 60 mm Material: Steel, zinc plated

NOTE: Kindly Visit the link below for all supporting documents:

Link- <https://www.giz.de/en/regions/africa/ghana/tenders>

C) Bid documents

Tenderers will be required to provide the following:

- Signed letter of bid with
 - priced quotation to the **required specification and conditions**
 - indication of **delivery period**
- Company profile, max. 5 pages A4
- Commercial qualification**
 - Valid Tax Clearance Certificate,
 - Business Registration Certificate,
 - VAT Registration Certificate,
 - Valid SSNIT Clearance Certificate
 - Declaration of Business Ownership by General Manager (Inclusion of Form A for Sole Proprietorship or Form 3 for Limited Liability)

PLEASE NOTE:

THE CURRENCY OF YOUR OFFER SHOULD BE IN GHANA CEDIS

ALL PROSPECTIVE BIDDERS ARE REQUIRED TO PERFORM THEIR TAX OBLIGATIONS IN GHANA.

Tender documents should be named according to the above (Bid documents & Commercial qualification) in a folder and Zip folder as:

Tender Number:

7000022220 – LOT 1 / G-012342-135 / SUPPLY OF WELDING MATERIALS

7000022219 – LOT 2 / G-012342-135 /SUPPLY OF ELECTRICAL APPLIANCES

7000022214 – LOT 3 / G-012342-135 / SUPPLY OF POWER TOOLS

This tender will be accepted **ONLY** via email (gh_quotation@giz.de)

- Please note that failure to comply with the above instructions, as well as submission to other e-mail addresses than the one mentioned, will lead to the disqualification of the bid.**

Bidding Conditions to all Bidders

- The deadline for submission is **22.09.2026 until 11:59 PM.**
- GIZ is not responsible for the failure of electronic delivery of e-mail messages to the address provided, whether due to technological problems on the part of GIZ or the applicant.
- This invitation to tender does not bind GIZ in any way. The contractual obligation of GIZ only begins with the signing of the contract with the successful bidder. Until the contract is signed, GIZ may either abandon or cancel the award procedure, without the candidates or bidders being entitled to claim any compensation.
- All costs associated with the preparation and submission of bidders are to be borne by the bidders and cannot be reimbursed.
- Financial bids should be valid for a period of three months from the date of submission.
- Please consider your bid unsuccessful if you do not hear from us after four weeks from the deadline of submission.

"Please note that participating in a tendering process of GIZ is free of charge for bidders.

At no phase of the process is the bidder required to make any payment to GIZ or to one of its employees.

Kindly Note by sending in your offer, you are agreeing to the GIZ General Terms and giving us the consent to process your company data.

ONLY SHORTLISTED FIRMS WILL BE CONTACTED